

References for Articles appearing in the Winter, 2010 edition of
The Maryland Family Doctor

Family Physicians Best Suited for Chronic Disease Management

Trang M. Pham, M.D.

1. Chronic Disease Overview, National Center for Chronic Disease Prevention and Health Promotion, 2009. www.cdc.gov/NCCdphp/overview.htm
2. Yarnell KS et al: Family Physicians as Team Leaders: “Time” to Share the Care, National Center for Chronic Disease Prevention and Health Promotion, 2009. www.cdc.gov/pcd/issues/2009/Apr/08_0023.htm
3. Arvantes J. AAFP Takes Lead in Launching National Chronic Disease Coalition, 2007. www.aafp.org/online/en/home/publications/news/news-now/government-medicine/20070525pfcclaunch.html
4. Arvantes J. Chronic Disease Partnership Promotes Primary Care As a Way to Avert Healthcare Meltdown, 2008. www.aafp.org/online/en/home/publications/news/news-now/government-medicine/20081008pfc-dtele.html

The Recognition and Treatment of Depression in Family Medicine, Part 1

Kevin S. Ferentz, M.D.

Williams JW Jr, Rost K, Dietrich AJ, et al. Primary care physicians' approach to depressive disorders. *Arch Fam Med* 1999;8(1): American Psychiatric Association.

Collaboration between psychiatrists, primary docs vital to ensuring more people get MH care. *Psychiatric News*, November 20, 1998.58-67.

<http://www.pfizer.com/pfizer/download/do/phq-9.pdf>

<http://www.dbsalliance.org/pdfs/MDQ.pdf>

Belmaker RH, Agam G. Major Depressive Disorder. *N Engl J Med* 358:55, January 3, 2008.

Ronald C. Kessler, PhD; Patricia Berglund, MBA; Olga Demler, MS, et al. The Epidemiology of Major Depressive Disorder, Results From the National Comorbidity Survey Replication (NCS-R); *JAMA*. 2003;289:3095-3105.

WHO. The World Health Report 2001: Mental Health: New Understanding, New Hope; 2001

Stahl. Essential Psychopharmacology. 2000

Wells KB, Stewart A, Hays, RD, et al. The functioning and well-being of depressed patients. Results from the Medical Outcomes Study. *JAMA* 1990 Feb 2;263(5):659-60

APA Diagnostic and Statistical Manual of Mental Disorders. 1994

Kroenke K, Spitzer RL, Williams JBW, et al. Physical symptoms in primary care: predictors of psychiatric disorders and functional impairment. *Arch Fam Med*. 1994;3:774-779.

The MacArthur Foundation Initiative on Depression and Primary Care;
<http://www.depression-primarycare.org/clinicians/toolkits/>

Hirschfeld R, Russell J. Assessment and Treatment of Suicidal Patients. *NEJM* Vol 337, No 3. 910-915, 1997

Screening for Depression in Maryland Adolescents

Eileen Birmingham, M.D., MPH and Kenneth Lin, M.D.

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies, State Estimates of Depression, 2004-2005. Accessed at <http://www.oas.samhsa.gov/depression.cfm#Youth> on October 27, 2009.

² Williams, S, O'Connor, E, Elder, M, Whitlock, E Screening for Adolescent Depression in Primary Care Settings, A Systematic Evidence Review. *Pediatrics* 2009;123:e716–e735.

³ Weissman MM, Wolk S, Goldstein RB. et al. Depressed adolescents grown up. *JAMA*. 1999; 281: 1707–1713.

⁴ *Screening for Major Depressive Disorder in Children and Adolescents*, March 2009. U.S. Preventive Services Task Force. Agency for Healthcare Research and Quality, Rockville, MD. <http://www.ahrq.gov/clinic/uspstf/uspstf/uschdepr.htm> Accessed on October 27, 2009.

⁵ Bridge JA, Iyengar S, Salary CB, Barbe RP, et al. Clinical Response and Risk for Reported Suicidal Ideation and Suicide Attempts in Pediatric Antidepressant Treatment: A Meta-analysis of Randomized Controlled Trials. *JAMA*. 2007; 297:1683-1696.

Chronic Hepatitis B: Advances in Diagnosis and Treatment

Loc T. Le, M.D.

1. EASL International Consensus Conference on Hepatitis B. 13-14 September, 2002: Geneva Switzerland. Consensus statement. *J Hepatol* 2003;38:533-540
2. Lok AS, McMahon BJ. AASLD Practice Guidelines: Chronic Hepatitis B. *Hepatology*, Vol 45, No 2, February 2007:507-539
3. McMahon BJ. Epidemiology and Natural History of Hepatitis B. *Semin Liver Dis* 2005;25(suppl 1):3-8.

4. Hepatitis Today 2008. Univeristy Kentucky. 1-8
5. Levanchy D. Hepatitis B virus epidemiology, disease burden, treatment, and current and emerging prevention and control measures. *J Viral Hepat* 2004;11:97-107

Fear of Insulin: A Resident's Diabetes Education

Salah Al-Abadi, M.D.

- 1) Kahn SE, Haffner SM, Heise MA, et al: Glycemic durability of rosiglitazone, metformin, or glyburide monotherapy. *N Engl J Med* 355:2427-2443, 2006
- 2) Nathan DM, Buse JB et al: Medical Mgmt of Hyperglycemia in DM 2, a Consensus algorithm for initiation and adjustment of therapy. *Diabetes Care* 32:193-203, 1/09
- 3) ADA: Standards of Medical Care in Diabetes 2009. *Diabetes Care* 32: supplement 1, 1/09
- 4) Schwartz S, Sievers R et al: Insulin 70/30 mix plus metformin vs triple oral therapy in the treatment of type 2 diabetes after failure of two oral drugs. *Diabetes Care* 26:2238-2243, 2003
- 5) Cagliero E, Nathan DM: Immediate feedback of hbA1c levels improves glycemic control in type 1 and insulin-treated type 2 diabetic patients. *Diabetes Care* 22:1785-1789, 1999
- 6) Kendall DM, Riddle MC et al: Effects of exenatide on glycemic control and weight over 30 weeks. *Diabetes Care* 28:1092-1100, 2005
- 7) Peters AL, Davidson MB: Maximal dose glyburide in markedly symptomatic patients with type 2 diabetes. *J Clin endocrinol Metab* 81:2423, 1996
- 8) Marre M: Before oral agents fail, the case for starting insulin early. *International Journal of Obesity* 25:S25-S30, 9/02
- 9) Palumbo PJ: The case for insulin treatment in type 2 diabetes. *Cleveland Clinic Journal of Medicine* May 2004 vol. 71 5 385-386